


Three-phase EI Lamination

Model	A	B	C	D	E	Hole	
						Quantity	(Φ)
Three-phase (20)	100	20	60	20	20	6	4.5
*Three-phase (22)	110	22	66	22	22	4	8
Three-phase (25)	125	25	75	25	25	6	4.5
Three-phase (30)	150	30	90	30	30	4	8
*Three-phase (32)	160	32	80	32	32	4	8
Three-phase (35)	175	35	105	35	35	4	8
Three-phase (38)	190	38	114	38	38	4	8
Three-phase (40)	200	40	120	40	40	6	8
Three-phase (44)	220	44	132	44	44	6	8
*Three-phase (45)	225	45	135	45	45	4	8
Three-phase (50)	250	50	150	50	50	6	8
*Three-phase (56)	280	56	168	56	56	4	8
Three-phase (60)	300	60	180	60	60	4	12
*Three-phase (70)	350	70	210	70	70	4	14
*Three-phase (80)	400	80	240	80	80	4	14
*Three-phase (90)	450	90	270	90	90	4	14
*Three-phase (100)	500	100	300	100	100	4	14

Note: 1) Model which is marked with "" is made by manual punch
 2) EI sheets of 80,90,100 are split.



EI Lamination outside structure & code number